

# ZWALL

TM

*Moveable*

*Demountable*

*Reconfigurable*

*Architectural Walls*

Transwall

Transwall

ZWall . . . substantive, functional,  
transformable, and totally adaptable.

No other architectural wall system is  
made to the extraordinary standards  
and flexibility of ZWall.

ZWall incorporates the intelligent  
use of steel, glass and aluminum,  
substantial gauge of materials, and  
the built-in ability to easily transform  
existing product into something  
altogether different.

ZWall offers a broad range of  
standard finish materials plus the  
flexibility to incorporate custom  
specifications.


ZWall's unique integrated horizontal  
support rails allow off-module  
attachment and support of virtually  
any office system furniture.

They all come together to form a  
product of unprecedented functional  
and aesthetic capability.

ZWALL











# ZWALL



ZWall provides for extreme utilization of power and data cabling. The readily accessible interior of the panels and the free access to vertical and horizontal cable paths is an IT manager's dream. Power outlets and data ports may be specified at virtually any position in the panel.

The power and data at the backbone of your business may enter the wall at any point; ceiling, floor or core building walls. The removable panel tiles provide for convenient and fast access for inspection, repair or re-routing.



# ZWALL

## **Interchangeable**



The image to the right demonstrates ZWall's unique "off-module" versatility, ZWall is designed to integrate and change with virtually any hang on or freestanding office furniture system.

Our walls accommodate the direction of your company . . . not the other way around.

ZWall is totally adaptable. Glass panels readily transform to fabric or wood. Metal trim can be changed to wood trim, on site, without disturbing existing walls or structural components.




**Off-Module Flexibility**




## Statement of Line

### Panels



### Doors



## Construction

### Panels:

- 3 11/16" Thick
- 20 GA Steel Panel Tiles
- Monolithic Panel Joints
- Non-Progressive
- Heights up to 12'
- Panel Widths 12" to 48"
- Removable Tiles
- Integral Vertical Slotting

### Acoustic Performance:

- 47 STC per ASTM E-90

### Fire Rating:

- Class A per ASTM E-84

### Strength:

- Meets all requirements of ANSI/BIFMA x 5.6

### Base Trim:

- Flush with Integral Floor Track

### Ceiling Trim:

- Flush

### Door Frames:

- Unitized Door Frame
- Continuous Sound Seal
- Butt Hinge or Sliding
- Commercial Grade Hardware

### Electrical:

- Switches Available in Solid Panels or Posts
- Duplex Receptacles in Base or Panel Tile
- Voice / Data in Base or Panel Tile
- Cabling paths accessible from both sides
- Available Modular (Plug & Play) Electric

## Attributes

### Panels:

- Solid
- Full Glass / Divided Glass
- Clerestory / Half Glass
- Painted Steel
- Fabric Covered Steel
- Wood Veneer Tiles & Trim
- Clear Tempered Glass
- White Laminated Glass
- Architectural Glass

### Doors:


- Metal or Solid Core
- Wood Veneer
- Flush, Half or Full Glass
- Painted Metal
- Painted Wood
- Stained Wood

### Note:

- Complete Architectural Details & Specifications available at: [transwall.com](http://transwall.com)

**Moveable / Reconfigurable**

ZWall is designed for change. The large conference room configuration shown to the right is easily converted to the two office configuration shown below. Add three panels and a door and you've created an extra room, with minimal interruption to day-to-day business activity.



# ZWALL

## **Environmental Impact**

100% Recyclable

LEED™ Materials & Resources:

**Recycled Content Credit 4.1:**  
Sum of the post-consumer recycled content + ½ pre-consumer content constitutes at least 10% of the total value of the materials.

**Recycled Content Credit 4.2:**  
Sum of the post-consumer recycled content + ½ pre-consumer content constitutes at least 20% of the total value of the materials.

**Regional Materials Credit 5.1:**  
Minimum of 20% of the combined value of materials and products are manufactured regionally within a radius of 500 miles.

## **Customer Service**

As Transwall clients have known for over 30 years, we assume an ownership stake in every aspect of every project. To us, direct support by the manufacturer of the design, construction, fit-out, move-in and life-cycle changes are as important as engineering and producing the finest wall systems in the business.



1220 Wilson Drive  
PO Box 1930  
West Chester PA 19380  
800.441.9255  
610.429.1400  
610.429.1411 fax  
e-mail: [info@transwall.com](mailto:info@transwall.com)  
[www.transwall.com](http://www.transwall.com)



Printed on Recycled Paper  
10% Post-Consumer Waste